



FISA TEHNICA SPUMA POLIURETANICA POLYURETHAN FOAM TECHNICAL DATA SHEET



Tip de spuma / Foam grade:	N2570			Clasa spuma : N; D; L; E
Culori / Colours:	Alb, Black ,Verde deschis/ White, Negru,Light Green			D
Teste standard / Standard tests				
Frecventa de testare / Testing frequency Standard / Standard				
Densitate / Net density	Fiecare sarja / Each batch	EN ISO 845:2008	Min	Max
Duritate 40% / Hardness 40%	Fiecare sarja / Each batch	SR EN ISO 3386-1:2002/A1:2010	22.5	26.25
Duritate 40% / Hardness 40%		SR EN ISO 2439:2009	6.3	7.7
Suport factor / Support factor		SR EN ISO 2439:2009	-	-
Elasticitate / Elasticity	Fiecare sarja / Each batch	SR EN ISO 8307:2008	-	-
Rezistenta la tractiune / Tensile Strength	La 6 luni / Each 6 months	EN ISO 1798:2008	25	-
Alungire la rupere / Elongation at break	La 6 luni / Each 6 months	EN ISO 1798:2008	95	-
Rezistenta la compresiune 50% / Compression Set 50	La 6 luni / Each 6 months	SR EN ISO 1856:2003/A1:2008	90	-
			-	18
Teste pentru rezistenta la foc / Fire Resistance tests				
		ISO 13501	-	
		FMVSS 302	-	
		D451333	-	
		BS 5852 (Crib5)	-	
		FAR 25853 (aeronautic)	-	
		TB 117-2013	-	
Alte tipuri de teste / Others tests				
CertiPUR		CertiPur Standard	OK	
OEKO-TEX		OEKO-TEX Standard 100	OK	
TDA-MDA		IKEA IOS-MAT-0010	-	
Pierdere inaltimii la oboseala / Thickness loss by fatigue		IKEA IOS-MAT-0076	-	[%]
Pierdere duritatii la oboseala / Hardness loss by fatigue		IKEA IOS-MAT-0076	-	[%]
Continutul de cenusa / Ash content		IKEA IOS-MAT-0076	-	[%]
Antistatizare / ESD Antistatic		ANSI/ESD S20.20; ANSI / ESD S541	-	[Ω]
Miros / Odor		NVX15012	-	
Fum / Fogging	Method A (85%)	DIN 75201	-	
Imbatranire 2 / Aging 2		NVC00001	-	[%]
Dimethylfumarate (DMFu)		DIN CEN ISO TS16186	-	[mg/Kg]
Recomandari de utilizare pentru industria mobilei / Recommended application				
Captusala / Padding	Clasa L (Usoara) /	BS EN ISO 3385:2014	OK	
Perne pentru sezuturi / Scatter cushions	Class L (Light)			
Perne de dormit / Pillows				
Recomandari pentru roluire / Recommendations for rolling				
Sezon Cald / Warm Season			Nu se recomanda/ Not recommended	
Sezon Rece / Cold Season			Nu se recomanda/ Not recommended	
Tolerante standard Eurofoam / Eurofoam Standard tolerances				
Vezi Tolerante Standard Eurofoam - EUR-F-PS-0182/RO-EN pe www.eurofoam.ro/Specificatii_tehnice/ See the Eurofoam standard tolerances on www.eurofoam.ro/Technical_Data_Sheets				

Nota:

Acest tip de spuma nu este tratat cu ignifugant.

Caracteristicile fizico-mecanice mentionate in prezenta specificatie tehnica constituie datele de calitate contractuala ale produsului la momentul transferului riscului si anume la predarea acestuia catre cumparator. Aceste caracteristici sunt controlate pentru fiecare sarja de produs si/sau la intervale regulate, ca parte a programului Eurofoam de asigurare a calitatii. Niciuna dintre aceste date si/sau proprietati nu reprezinta o garantie din punct de vedere juridic ca produsul este adecvat pentru un anumit scop sau utilizare si, in consecinta, Eurofoam isi declina orice responsabilitate rezultata din aceasta.

Note:

This type of foam is not treated with flame retardant.

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing the risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of our can be derived therefrom.